

Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the above-identified application.

1. **(Currently amended)** A method of facilitating a polylingual simultaneous shipment of a computer-implemented application, the method comprising:

developing a base version of the application in a base language, wherein language dependant code of the base version of the application is maintained separately from language independent code of the base version of the application, and the developing the base version of the application comprises developing a plurality of stages of the base version of the application;

facilitating an internationalization of the base version of the application ~~concurrent with the developing of the base version of the application~~, wherein the internationalization comprises pseudo localization of the language dependent code of the base version of the application, and the internationalization of the base version of the application comprises an internationalization of a first stage among the plurality of stages concurrently with the developing of a second stage among the plurality of stages; and

facilitating a localization of the base version of the application ~~concurrent with the internationalization of the base version of the application~~, wherein the localization comprises generating a base glossary for the language dependent code, the base glossary being translated into at least one language different from the base language.

2. (Previously presented) The method of claim 1 wherein developing the base version of the application comprises:

identifying all language-dependent user interface code; and
creating a source code structure for the application wherein the language-dependent user interface code is maintained separately from non user interface code.

3-4. (Canceled)

5. (Original) The method of claim 1 wherein the base language is English.

6-8. (Canceled)

9. (Original) The method of claim 1 wherein pseudo localization includes adding a prefix to each translatable string in the application.

10-15. (Canceled)

16. (Original) The method of claim 1 wherein the at least one language different from the base language is selected from the group consisting of: German, Spanish, French, Japanese, Danish, Dutch, Italian, Portuguese, Swedish, Chinese, Korean, Czech, Finnish, Greek, and Hebrew.

17. (Previously presented) The method of claim 1 wherein the application comprises a front end, a middle, and a data model, wherein the front end comprises user interface code developed in a base language and the middle comprises non user interface code developed in a programming language.

18. **(Currently amended)** An article of manufacture, comprising:
a computer-readable medium that provides instructions that, if executed by a processor,
will cause the [[said]] processor to perform operations comprising:
developing a base version of the application in a base language, wherein language
dependant code of the base version of the application is maintained separately
from language independent code of the base version of the application, and the
developing the base version of the application comprises developing a plurality of
stages of the base version of the application;

facilitating an internationalization of the base version of the application ~~concurrent with the developing of the base version of the application~~, wherein the internationalization comprises pseudo localization of the language dependent code of the base version of the application, and the internationalization of the base version of the application comprises an internationalization of a first stage among the plurality of stages concurrently with the developing of a second stage among the plurality of stages; and

facilitating a localization of the base version of the application ~~concurrent with the internationalization of the base version of the application~~, wherein the localization comprises generating a base glossary for the language dependent code, the base glossary being translated into at least one language different from the base language.

19. **(Currently amended)** The article of manufacture ~~computer-readable medium~~ of claim 18 wherein developing the base version of the application comprises:
identifying all user interface code as language dependant code; and
creating a source code structure for the application wherein the user interface code is maintained separately from non user interface code.

20-21. (Canceled)

22. **(Currently amended)** The article of manufacture ~~computer-readable medium~~ of claim 18 wherein the base language is English.

23-25. (Canceled)

26. **(Currently amended)** The article of manufacture ~~computer-readable medium~~ of claim 18 wherein pseudo localization includes adding a prefix to each translatable string in the application.

27-32. (Canceled)

33. **(Currently amended)** The article of manufacture ~~computer-readable medium~~ of claim 18 wherein the at least one language different from the base language is selected from the group consisting of: German, Spanish, French, Japanese, Danish, Dutch, Italian, Portuguese, Swedish, Chinese, Korean, Czech, Finnish, Greek, and Hebrew.

34. **(Currently amended)** A server comprising:

a memory to store a base version of the application in a base language, wherein language dependant code of the base version of the application is maintained separately from language independent code of the base version of the application; and a processor, coupled to the memory, the processor executing a set of instructions which cause the processor to

facilitate an internationalization of the base version of the application ~~concurrent with developing of the base version of the application~~, wherein the internationalization comprises pseudo localization of the language dependent code of the base version of the application, and the internationalization of the base version of the application comprises an internationalization of a first stage among a plurality of stages of the base version of the application concurrently with the developing of a second stage among the plurality of stages, and

facilitate a localization of the base version of the application ~~concurrent with the internationalization of the base version of the application~~, wherein the localization comprises generating a base glossary for the language dependent code, the base glossary being translated into at least one language different from the base language.

35-37. (Canceled)

38. **(Previously presented)** The method of claim 1 wherein a first portion of the language dependent code is stored in a master repository and a second portion of the language dependent code is stored in resource files.

39. **(Previously presented)** The method of claim 1 wherein the internationalization further comprises identifying defects in a previous version of the application.

40. (Previously presented) The method of claim 9 wherein the pseudo localization further comprises altering locale-specific settings in an operating environment.
41. (Previously presented) The method of claim 40 wherein the locale-specific settings comprise at least one of a date, a time, a number, a currency format and a hard-coded reference to a translation.
42. (Previously presented) The method of claim 9 wherein the pseudo localization further comprises identifying hard-coded strings in the application by simulating localization of the application.
43. (Previously presented) The method of claim 1 wherein generating the base glossary comprises creating a list of base language strings.
44. **(Canceled)**
45. **(New)** The method of claim 1 wherein the localization of the base version of the application comprises a localization of the first stage concurrently with an internationalization of the second stage.
46. **(New)** The method of claim 1 wherein the internationalization of the base version of the application comprises adapting the base version of the application to be capable of being localized in a variety of locales.
47. **(New)** The method of claim 1 wherein the pseudo localization of the language dependent code of the base version of the application comprises marking all translatable strings in the base version of the application.
48. **(New)** The article of manufacture of claim 18 wherein the localization of the base version of the application comprises a localization of the first stage concurrently with an internationalization of the second stage.

49. (New) The article of manufacture of claim 18 wherein the internationalization of the base version of the application comprises adapting the base version of the application to be capable of being localized in a variety of locales.
50. (New) The article of manufacture of claim 18 wherein the pseudo localization of the language dependent code of the base version of the application comprises marking all translatable strings in the base version of the application.
51. (New) The server of claim 34 wherein the localization of the base version of the application comprises a localization of the first stage concurrently with an internationalization of the second stage.
52. (New) The server of claim 34 wherein the internationalization of the base version of the application comprises adapting the base version of the application to be capable of being localized in a variety of locales.
53. (New) The server of claim 34 wherein the pseudo localization of the language dependent code of the base version of the application comprises marking all translatable strings in the base version of the application.